



Georgetown Township Fire Department

Date: August 4, 2006
To: Supervisor Holland
Subject: Monthly Fire Runs

The Georgetown Township Fire Department responded to a total of 50 runs for the month of July 2006, with an average response time of 7.41.

Dan Hamming
Georgetown Township Fire Chief

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {07/01/2006} And {07/31/2006}

| Incident-Exp# | Alm Date | Alm Time | Location | Incident Type |
|----------------|------------|----------|---------------------------|----------------------------------|
| 06-0000267-000 | 07/01/2006 | 11:09:00 | 7974 Parkside CT | 561 Unauthorized burning |
| 06-0000268-000 | 07/01/2006 | 18:57:00 | 7640 Henry AVE | 444 Power line down |
| 06-0000269-000 | 07/01/2006 | 22:57:00 | 8949 Norman DR | 445 Arcing, shorted electrical |
| 06-0000270-000 | 07/03/2006 | 17:01:00 | 1024 Elmwood DR | 321 EMS call, excluding vehicle |
| 06-0000271-000 | 07/03/2006 | 21:01:00 | 7263 20th AVE | 322 Motor vehicle accident with |
| 06-0000272-000 | 07/04/2006 | 00:05:00 | 7925 28th AVE | 321 EMS call, excluding vehicle |
| 06-0000273-000 | 07/04/2006 | 09:27:00 | 1061 Maplewood DR | 611 Dispatched & cancelled en |
| 06-0000274-000 | 07/04/2006 | 16:16:00 | 6800 Bridgeport CT | 142 Brush or brush-and-grass |
| 06-0000275-000 | 07/06/2006 | 14:02:00 | 6806 Lowbank DR | 143 Grass fire |
| 06-0000276-000 | 07/06/2006 | 14:23:00 | 6800 Bridgeport CT | 142 Brush or brush-and-grass |
| 06-0000261-000 | 07/06/2006 | 20:00:00 | Chicago DR & Main ST | 463 Vehicle accident, general |
| 06-0000277-000 | 07/07/2006 | 02:32:00 | Regal DR & 44th AVE | 352 Extrication of victim(s) |
| 06-0000278-000 | 07/08/2006 | 13:46:00 | Mile Marker 64 & I 196 | 622 No Incident found on arrival |
| 06-0000279-000 | 07/08/2006 | 23:29:00 | 1590 Port Sheldon ST | 561 Unauthorized burning |
| 06-0000281-000 | 07/09/2006 | 16:07:00 | 550 Baldwin ST | 321 EMS call, excluding vehicle |
| 06-0000280-000 | 07/09/2006 | 22:11:00 | 6921 28th AVE | 143 Grass fire |
| 06-0000282-000 | 07/10/2006 | 12:35:00 | Chicago DR & Main ST | 463 Vehicle accident, general |
| 06-0000283-000 | 07/11/2006 | 17:03:00 | 7528 Walnut AVE | 911 Citizen complaint |
| 06-0000285-000 | 07/14/2006 | 10:00:00 | 6786 City View CT | 424 Carbon monoxide incident |
| 06-0000286-000 | 07/14/2006 | 10:45:00 | 725 Baldwin ST | 743 Smoke detector activation, |
| 06-0000287-000 | 07/15/2006 | 15:45:00 | 7048 Crimson CT | 424 Carbon monoxide incident |
| 06-0000288-000 | 07/15/2006 | 21:38:00 | 8136 48th AVE | 735 Alarm system sounded due to |
| 06-0000289-000 | 07/16/2006 | 11:54:00 | 96 Suncrest AVE | 321 EMS call, excluding vehicle |
| 06-0000284-000 | 07/17/2006 | 00:26:00 | 7749 Hearthway AVE | 440 Electrical wiring/equipment |
| 06-0000290-000 | 07/17/2006 | 18:37:00 | Port Sheldon ST & North | 111 Building fire |
| 06-0000291-000 | 07/17/2006 | 18:53:00 | 550 Baldwin ST | 611 Dispatched & cancelled en |
| 06-0000292-000 | 07/17/2006 | 22:23:00 | 7718 Hickory AVE | 444 Power line down |
| 06-0000294-000 | 07/17/2006 | 22:54:00 | 8925 Cotton CT | 111 Building fire |
| 06-0000295-000 | 07/17/2006 | 23:20:00 | 7712 Hollyhock AVE | 445 Arcing, shorted electrical |
| 06-0000293-000 | 07/17/2006 | 23:47:00 | 7734 Emberly DR | 440 Electrical wiring/equipment |
| 06-0000296-000 | 07/18/2006 | 01:40:00 | 7663 Hickory AVE | 445 Arcing, shorted electrical |
| 06-0000297-000 | 07/18/2006 | 05:42:00 | 7458 Terrace LN | 445 Arcing, shorted electrical |
| 06-0000298-000 | 07/18/2006 | 15:10:00 | Riverview DR & Baldwin ST | 463 Vehicle accident, general |
| 06-0000300-000 | 07/18/2006 | 18:06:00 | 3470 Taylor ST | 736 CO detector activation due |
| 06-0000301-000 | 07/18/2006 | 19:19:00 | 1786 Lilac DR | 412 Gas leak (natural gas or |
| 06-0000299-000 | 07/19/2006 | 01:34:00 | 2991 Green Meadow DR | 321 EMS call, excluding vehicle |
| 06-0000303-000 | 07/19/2006 | 10:12:00 | 12th AVE & Chicago DR | 322 Motor vehicle accident with |
| 06-0000302-000 | 07/19/2006 | 12:27:00 | 20th AVE & Baldwin ST | 463 Vehicle accident, general |
| 06-0000305-000 | 07/20/2006 | 14:14:00 | 725 Baldwin ST | 743 Smoke detector activation, |
| 06-0000304-000 | 07/21/2006 | 11:10:00 | 20th AVE & Barry ST | 131 Passenger vehicle fire |
| 06-0000306-000 | 07/21/2006 | 20:06:00 | 14th AVE & 44th AVE | 561 Unauthorized burning |
| 06-0000307-000 | 07/22/2006 | 13:47:00 | 725 Baldwin ST | 531 Smoke or odor removal |
| 06-0000308-000 | 07/27/2006 | 17:08:00 | 5956 16th AVE | 321 EMS call, excluding vehicle |
| 06-0000310-000 | 07/28/2006 | 08:13:00 | 7610 Cottonwood DR | 463 Vehicle accident, general |
| 06-0000311-000 | 07/28/2006 | 15:04:00 | 225 Bliss DR | 321 EMS call, excluding vehicle |
| 06-0000309-000 | 07/28/2006 | 22:52:00 | 830 Mc Clelland ST | 561 Unauthorized burning |
| 06-0000312-000 | 07/29/2006 | 00:07:00 | 830 Mc Clelland ST | 561 Unauthorized burning |

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {07/01/2006} And {07/31/2006}

| <u>Incident-Exp#</u> | <u>Alm Date</u> | <u>Alm Time</u> | <u>Location</u> | <u>Incident Type</u> |
|----------------------|-----------------|-----------------|------------------|---------------------------------|
| 06-0000313-000 | 07/30/2006 | 10:27:00 | 725 Baldwin ST | 321 EMS call, excluding vehicle |
| 06-0000314-000 | 07/30/2006 | 10:54:00 | 2766 Baldwin ST | 311 Medical assist, assist EMS |
| 06-0000315-000 | 07/30/2006 | 13:03:00 | 2419 Rosewood ST | 444 Power line down |

Total Incident Count 50

Georgetown Fire Department Maintenance Report July 2006

Calls

EMS: 4
Alarms: 2
CO:
Spills: 3
Others: 2

Education

Miscellaneous

Spray weeds
Change sprinkling heads
Have trees and shrubs trimmed
JDS service tank to pump valve.
Replace bad exhaust hose
Work on hose testing pump
Hydrostat air bottles and cascade system.
JDS service 841 oil filter
Order new work lights for 821
831 overhead door repaired
823 overhead door repaired
824 overhead door adjusted
added new backup battery to Nortel phone system at station 3
Camera back in service
Mow station lawns
Work on 4 in adaptor at station 1
Clean up water damage in twp basement.
Work on SCBA
Label hose to put in service for station 1's new engine
Monthly Generators service.
Make up 10ft hose for station 3

Georgetown Township Fire Department Fire Inspector Activity Report

July 2006

Calls

| | |
|------------|----|
| FIRE: | 04 |
| ALARM: | 03 |
| MEDICAL: | 02 |
| PI: | 01 |
| PI PIN-IN: | 01 |
| CO: | 02 |
| U-BURN: | 01 |
| SPILL: | 03 |
| OTHER: | |
| TOTAL: | 17 |

Inspections

| | |
|----------------------|----|
| INSPECTIONS: | 19 |
| FOLLOW UP: | 21 |
| COMMERCIAL WITH PCI: | 47 |
| ZONING COMPLIANCE: | 02 |
| TOTAL: | 89 |

Education

Fire Investigation and Follow Up

Other

- Check out which buildings at GVSU are within Georgetown Township jurisdiction.
- Plan Review – Site Plan (PUD0604) Preliminary Development Plan for Baldwin Georgetown, LLC, 7665 – 36th Ave.
- Plan Review – Site Plan (PUD0602-2) Final Development Plan for Andre’s Crossing.
- Plan Review – Site Plan (ST0607) Revision – Cottonwood CRC, 1101 Cypress.
- Plan Review – (ST0606) Revision – Randy Rottschafer – 610 Baldwin.
- While conducting an inspection with PCI we came across an illegal vehicle painting operation at 2400 Chicago Drive. Township Code Enforcement Office, Dick Kennedy, was contacted and responded to this location. Photos were taken of the numerous fire and safety violations. The occupant of the facility was informed that this operation was being shutdown immediately and the owner of the business was to contact the fire inspector as soon as possible. A report was generated and a letter mailed to the owner.
- Met with Les McElwee, Sunset Manor maintenance personnel, reference fire alarm panel problems. He was advised to contact Riverside Fire & Security, the installers of this alarm system.
- Filled Station 1’s SCBA bottles that came back from being hydro tested.
- Attended the monthly progress meeting with Chief Hamming and F. F. Matt DeWitt.
- Had meeting at Station 3 with Chief Hamming and Randy Rottschafer reference the access to his proposed storage building at 610 Baldwin Street.
- Checked on the Van Buren and 22nd Ave intersection closure.
- Posted the watering restriction notice from Wyoming Water at the fire stations.
- Met with Dick Colgan from Georgetown Bible Church in reference to the code requirements for vehicle protection post around fire hydrants in parking lots.
- Sent out pre-inspection letters and check sheets to local businesses.
- Did code research on smoke detector requirements in institutional occupancies for Lt. Steve Baar, Ottawa County Jail.
- Plan Review – Revised site plan for Baldwin Georgetown, LLC – 7665 – 36th Ave.
- Prepare inspection forms for upcoming inspections.
- Code research on 3 story condominium buildings.
- Checked out the 12th Ave and Chicago Drive RR Crossing closure.
- Checked on Emergency Services personnel at the power pole fire at Terrace Lane and Miede Street.

- Met with Chuck Dyk to go over the sprinkler prints that Blaze Fire Protection submitted for Chapel Pointe Church, 3350 Baldwin Street. Wrote memo on discrepancies and mailed to Blaze Fire.
- Met with Kim Altman, Target Store P. R. coordinator. Target Corp. is sponsoring "National Night Out" on August 1 and they have requested our participation.
- Met with Joe Booker and Chuck Dyk at the building Joe is remodeling. This is in reference to code requirements on double false ceilings.
- Posted upcoming PR Events on the bulletin boards at the fire station.
- Wrote up and submitted 2007 fire inspectors budget list to Chief Hamming.
- Code research on O2 and Nitrasoxide storage in a medical facility.
- Met with Chuck Dyk to go over the submitted plans for Cottonwood Christian Day Care expansion.
- Checked out the address location where Cedar Lake West comes off 24th Avenue for OCCDA.
- Plan Review – (ST0608) McDonalds USA, LLC, 160 Chicago Drive.
- Met with Gene Koopman from Lakeshore Safe Kids at Station 1 to set up the "Fire Safety House" for the fire prevention committee to look at and if it would work for our open house in October.
- Code research on Fire Alarm requirements for Day Care facilities.
- Talked to John Vander Molen, Cottonwood Day Care, in reference to code requirements for their building renovation and change in use group.
- Met with the manager of Burger King at O-31 – 44th Street about the repairs for their sprinkler system and the time frame the fire protection company is saying it needs to complete it.
- Met with Captain McIntyre at Station 1 to go over the list of loose equipment that was ordered and what we have already received for new E-821.
- Received and filed inspection reports from inspections done in our township by the State Fire Marshal and local fire protection companies.
- Put together fire safety handout material for "National Night Out" event that will be held at the Target Store.

Georgetown Township Fire Department

Fire Prevention Bureau

Monthly Activity Report

July 2006

This month was for going through all our left over material that was used during Fire Prevention Week 2005. After inventorying everything an order was placed with the National Fire Safety Council for what we anticipate to be used for this years events. Also, a request was put in for the purchase of fire prevention material from NFPA.

We had one request this month for a fire truck to come to a block party. This was on Saturday the 29th. F. F. Tom Datema took Engine 826 to this event and spent an hour with the kids and parents.

How Alarms Were Answered - July 2006

