

Georgetown Township Fire Department



Date: December 6, 2007
To: Supervisor Holland
Subject: Monthly Fire Runs

The Georgetown Township Fire Department responded to a total of 50 runs for the month of November 2007, with an average response time of 7.24.

Dan Hamming
Georgetown Township Fire Chief

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {11/01/2007} And {11/30/2007}

<u>Incident-Exp#</u>	<u>Alm Date</u>	<u>Alm Time</u>	<u>Location</u>	<u>Incident Type</u>
07-0000418-000	11/01/2007	04:11:00	1230 Parsons ST	611 Dispatched & cancelled en ro
07-0000419-000	11/02/2007	03:07:00	Main ST & Chicago DR /Jen	551 Assist police or other gover
07-0000420-000	11/02/2007	05:55:00	6305 Kenowa AVE /Grandvil	743 Smoke detector activation, n
07-0000421-000	11/02/2007	13:29:00	Cedar Grove CT & Cedar Gr	561 Unauthorized burning
07-0000422-000	11/02/2007	16:03:00	6632 City View DR	111 Building fire
07-0000442-000	11/03/2007	19:55:00	4th AVE & Jackson ST /Gra	561 Unauthorized burning
07-0000423-000	11/03/2007	19:59:00	88 Brookmeadow CT N/Grand	112 Fires in structure other tha
07-0000424-000	11/04/2007	01:22:00	6305 Kenowa AVE /Grandvil	733 Smoke detector activation du
07-0000425-000	11/04/2007	15:50:00	725 Baldwin ST /Jenison,	743 Smoke detector activation, n
07-0000427-000	11/05/2007	10:48:00	7650 Riverview DR /Jeniso	321 EMS call, excluding vehicle
07-0000428-000	11/05/2007	11:16:00	7473 Pine Grove DR /Jenis	321 EMS call, excluding vehicle
07-0000429-000	11/05/2007	12:33:00	4684 Stonewood CT	511 Lock-out
07-0000430-000	11/05/2007	12:49:00	Orchid DR & Clover LN /Gr	444 Power line down
07-0000426-000	11/05/2007	17:11:00	7552 Thomas AVE	444 Power line down
07-0000431-000	11/06/2007	03:18:00	7484 Pheasant Run DR	746 Carbon monoxide detector act
07-0000432-000	11/06/2007	06:36:00	28th AVE & Baldwin ST	440 Electrical wiring/equipment
07-0000433-000	11/06/2007	17:48:00	Regal DR & 44th ST	352 Extrication of victim(s) fro
07-0000435-000	11/07/2007	19:31:00	10485 48th AVE	600 Good intent call, Other
07-0000434-000	11/07/2007	23:15:00	8108 Cottonwood DR /Jenis	321 EMS call, excluding vehicle
07-0000436-000	11/09/2007	21:27:00	7742 Riverview DR	531 Smoke or odor removal
07-0000438-000	11/10/2007	08:52:00	725 Baldwin ST	743 Smoke detector activation, n
07-0000437-000	11/10/2007	09:42:00	2633 Baldwin ST /Jenison,	561 Unauthorized burning
07-0000439-000	11/11/2007	13:06:00	3923 Brookfield DR	511 Lock-out
07-0000443-000	11/11/2007	19:57:00	1859 Elizabeth LN /Jeniso	510 Person in distress, Other
07-0000440-000	11/12/2007	17:03:00	10328 42nd AVE	745 Alarm system activation, no
07-0000441-000	11/12/2007	18:53:00	2107 Bauer RD	561 Unauthorized burning
07-0000444-000	11/13/2007	17:44:00	5125 40th AVE	561 Unauthorized burning
07-0000445-000	11/14/2007	14:58:00	1479 Spencer AVE	511 Lock-out
07-0000446-000	11/14/2007	21:49:00	3953 Pebblefield DR	321 EMS call, excluding vehicle
07-0000448-000	11/15/2007	10:10:00	1840 Jackson ST	321 EMS call, excluding vehicle
07-0000447-000	11/15/2007	11:54:00	5454 Lake Michigan	571 Cover assignment, standby, m
07-0000449-000	11/16/2007	05:51:00	3361 Taylor ST	412 Gas leak (natural gas or LPG
07-0000451-000	11/17/2007	11:39:00	7538 Harmon LN	561 Unauthorized burning
07-0000452-000	11/17/2007	11:47:00	7301 Tory DR	561 Unauthorized burning
07-0000450-000	11/21/2007	12:00:00	10320 42nd AVE	424 Carbon monoxide incident
07-0000454-000	11/21/2007	22:21:00	7245 22nd AVE	746 Carbon monoxide detector act
07-0000453-000	11/21/2007	22:34:00	18th AVE & Rosewood ST	352 Extrication of victim(s) fro
07-0000455-000	11/22/2007	07:43:00	2051 Rosewood ST	411 Gasoline or other flammable
07-0000456-000	11/24/2007	09:06:00	7455 Glendora AVE /Jeniso	251 Excessive heat, scorch burns
07-0000457-000	11/24/2007	17:46:00	20th AVE & Bauer RD /Jeni	732 Extinguishing system activat
07-0000460-000	11/25/2007	14:23:00	2277 Sugar Pine CT /Jenis	561 Unauthorized burning
07-0000459-000	11/25/2007	18:33:00	Baldwin ST & Cottonwood D	463 Vehicle accident, general cl
07-0000458-000	11/25/2007	19:01:01	10345 42nd AVE	700 False alarm or false call, O
07-0000461-000	11/26/2007	18:51:00	1941 Baldwin ST /Jenison,	113 Cooking fire, confined to co
07-0000463-000	11/27/2007	12:32:00	1311 Burton	500 Service Call, other
07-0000462-000	11/27/2007	23:11:00	4187 Fillmore ST	746 Carbon monoxide detector act
07-0000465-000	11/28/2007	02:19:00	160 Chicago DR	463 Vehicle accident, general cl

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {11/01/2007} And {11/30/2007}

<u>Incident-Exp#</u>	<u>Alm Date</u>	<u>Alm Time</u>	<u>Location</u>	<u>Incident Type</u>
07-0000466-000	11/28/2007	04:55:00	8484 24th AVE /Jenison, M	651 Smoke scare, odor of smoke
07-0000464-000	11/28/2007	11:18:00	7517 Harmon LN /Jenison,	561 Unauthorized burning
07-0000467-000	11/29/2007	08:09:00	1392 Oakwood DR /Jenison,	424 Carbon monoxide incident
Total Incident Count		50		

Georgetown Fire Dept

Incident Type Report (Summary)

Alarm Date Between {11/01/2007} And {11/30/2007}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	1	2.00%	\$0	0.00%
112 Fires in structure other than in a building	1	2.00%	\$0	0.00%
113 Cooking fire, confined to container	1	2.00%	\$0	0.00%
	3	6.00%	\$0	0.00%
2 Overpressure Rupture, Explosion, Overheat(no fire)				
251 Excessive heat, scorch burns with no	1	2.00%	\$0	0.00%
	1	2.00%	\$0	0.00%
3 Rescue & Emergency Medical Service Incident				
321 EMS call, excluding vehicle accident with	5	10.00%	\$0	0.00%
352 Extrication of victim(s) from vehicle	2	4.00%	\$0	0.00%
	7	14.00%	\$0	0.00%
4 Hazardous Condition (No Fire)				
411 Gasoline or other flammable liquid spill	1	2.00%	\$0	0.00%
412 Gas leak (natural gas or LPG)	1	2.00%	\$0	0.00%
424 Carbon monoxide incident	2	4.00%	\$0	0.00%
440 Electrical wiring/equipment problem, Other	1	2.00%	\$0	0.00%
444 Power line down	2	4.00%	\$0	0.00%
463 Vehicle accident, general cleanup	2	4.00%	\$0	0.00%
	9	18.00%	\$0	0.00%
5 Service Call				
500 Service Call, other	1	2.00%	\$0	0.00%
510 Person in distress, Other	1	2.00%	\$0	0.00%
511 Lock-out	3	6.00%	\$0	0.00%
531 Smoke or odor removal	1	2.00%	\$0	0.00%
551 Assist police or other governmental agency	1	2.00%	\$0	0.00%
561 Unauthorized burning	9	18.00%	\$0	0.00%
571 Cover assignment, standby, moveup	1	2.00%	\$0	0.00%
	17	34.00%	\$0	0.00%
6 Good Intent Call				
600 Good intent call, Other	1	2.00%	\$0	0.00%
611 Dispatched & cancelled en route	1	2.00%	\$0	0.00%
651 Smoke scare, odor of smoke	1	2.00%	\$0	0.00%

Georgetown Fire Dept

Incident Type Report (Summary)

Alarm Date Between {11/01/2007} And {11/30/2007}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	3	6.00%	\$0	0.00%
7 False Alarm & False Call				
700 False alarm or false call, Other	1	2.00%	\$0	0.00%
732 Extinguishing system activation due to	1	2.00%	\$0	0.00%
733 Smoke detector activation due to	1	2.00%	\$0	0.00%
743 Smoke detector activation, no fire -	3	6.00%	\$0	0.00%
745 Alarm system activation, no fire -	1	2.00%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	3	6.00%	\$0	0.00%
	10	20.00%	\$0	0.00%

Total Incident Count: 50

Total Est Loss: \$0

Georgetown Fire Department Maintenance Report November 2007

Calls

EMS: 2
Alarms: 3
CO:
Spills:
Others:

Parks and Cemetery

Nov. 5 (6hrs) Mulching leaves in Cemetery
Nov. 6 (3hrs) Mulching leaves in Cemetery
Nov. 7 (3hrs) Mulching leaves in Cemetery
Nov. 12 (6hrs.) Mulching leaves in Cemetery
Nov.14 (4hrs.) Mulching leaves in Cemetery helped with burial
Nov. 26 (3 hrs.) Mulching leaves

Miscellaneous

Refill oil dry supplies at all 3 stations
Mow stations and mulch leaves
Stake for winter plowing
Install and setup of Power point system at station 3
Have all fire engines pump tested at Westshore services
Repair parking lot lights
Test Co monitors
Replace dry erase board at station 2
Car seat inspections at station 2
Setup for new hose bed on 823 including tarp
Repair streamlight flashlight on 883
Repair SCBA bottle gauge from station 3.
Have air pack sent out for repair from station 1
Service air compressors at all stations
Inspect and send air sample in for air fill station
Refill air on mobile cascade system
Serviced two air packs
Work with Truck committee on specs for the Heavy Rescue
Ladder testing
Label 5inch hose for 823

Georgetown Township Fire Department Fire Inspector Activity Report

November 2007

Calls

FIRE:	01
ALARM:	
MEDICAL:	03
PI:	
PI PIN-IN:	
CO:	01
U-BURN:	02
SPILL:	
OTHER:	04
TOTAL:	11

Inspections

MAINTENANCE:	16
FOLLOW UP:	03
COMMERCIAL WITH PCI:	01
ZONING COMPLIANCE:	
TOTAL:	20

Education

Fire Investigation and Follow Up

- November 2 – Chief Hamming, Deputy Chief Poolman and I met with a representative from Liberty Mutual at 7468 Glendora, scene of the house fire.
- November 7 – Chief Hamming and I met with the fire investigator, who was hired by Liberty Mutual, at 7468 Glendora.

Other

- Finished up the fire prevention reports and emailed them to Chief.
- Met with Triad Fire Suppression and the new Campus View Recreational Center to perform the fire sprinkler system flow test and fire alarm test.
- Met with Chief and Matty at station three for our monthly staff meeting.
- Met with the representatives of Wellspring Community Church after receiving a complaint from a citizen about fire safety issues.
- Received, reviewed and filed inspection reports from Field's Fire Protection that were done on fire suppression systems at locations within our township.
- Met with the management of Cottonwood Condo's about getting Knox Boxes and figured out the best locations where these boxes should be located.
- Assisted Matty with the installation of the new overhead projection system in the training room at station three.
- Put together a fire safety checklist and cover letter for "Assembly Occupancies". These were delivered to our local churches.
- Put together resource books on Grand Valley Apartments.
- Set up inspections for December and January. Reviewed past inspection reports for the businesses to be inspected in December and January.
- Checked out the multi-gas detectors. Found station one's to be defective and sent in to West Shore to be repaired.

Georgetown Township Fire Department

Fire Prevention Bureau

Monthly Activity Report

November

11th – The fire department participated in the Veterans Day hymn sing at First Jenison Christian Reformed Church. We had the American flag flying from the aerial ladder truck and our honor guard took part in the ceremonies.

How Alarms Were Answered - November 2007

